

“LAGUN MACHINES”

IN PRODUCTION WITH FAST DELIVERIES



BM 3

TECHNICAL SPECIFICATIONS

- Heidenhain TNC 640 numerical control with 19" screen
- Table surface: 3.100 x 1.100 mm
- Traverses:
 - Longitudinal "X": 3.000 mm.
 - Transversal "Y": 1.300 mm.
 - Vertical "Z": 1.500 mm.
- LU A Automatic milling head, every (2,5° / 1°) in both planes
- Main motor Power:
 - Power: 31/38 Kw
 - Torque: 1.028/1.265 Nm
- 4000 rpm
- Automatic greasing in the milling head
- Perimetral guarding, (without roof)
- 2 chip conveyors
 - 1 between the table and the front doors
 - 1 between the table and the column
- 24 tools Drum type Random ATC
- Cooling through the tool with 20 bar pump.
- Air conditioner in the electrical cabinet

NEXT AVAILABLE MACHINES

June

July

September

September



BM 4

TECHNICAL SPECIFICATIONS

- Heidenhain TNC 640 numerical control with 19" screen
- Table surface: 4.100 x 1.100 mm.
- Traverses:
 - Longitudinal "X": 4.000 mm.
 - Transversal "Y": 1.300 mm.
 - Vertical "Z": 1.500 mm.
- LU A Automatic milling head, every (2,5° / 1°) in both planes
- Main motor Power:
 - Power: 31/38 Kw
 - Torque: 1.028/1.265 Nm
- 4000 rpm
- Automatic greasing in the milling head
- Perimetral guarding, (without roof)
- 2 chip conveyors
 - 1 between the table and the front doors
 - 1 between the table and the column
- 24 tools Drum type Random ATC
- Cooling through the tool with 20 bar pump.
- Air conditioner in the electrical cabinet

NEXT AVAILABLE MACHINES

April

May

June

June

July



BM 3 RT

TECHNICAL SPECIFICATIONS

- Heidenhain TNC 640 control with 19" screen
- Rotative table 1200 x 1600 mm.
- Traverses:
 - Longitudinal "X": 3.000 mm.
 - Transversal "Y": 1.300 mm.
 - Vertical "Z": 1.500 mm.
-
- LU A Automatic milling head, every (2,5° / 1°) in both planes
- Main motor Power:
 - Power: 31/38 Kw
 - Torque: 1.028/1.265 Nm
- 4000 rpm
- Automatic greasing in the milling head
- Perimetral guarding, (without roof)
- 2 chip conveyors
 - 1 between the table and the front doors
 - 1 between the table and the column
- 40 tools chain type ATC.
- Cooling through the tool with 20 bar pump.
- Air conditioner in the electrical cabinet

NEXT AVAILABLE MACHINES

April

June